

September 22, 2015:

**ADDENDUM NO. 1
to the
Iowa Department of Transportation
Proposal No. 15130
Framing, Drywall installation and finishing for 1st and 2nd Floor of OLE in Ames
Letting Date: 9/30/2015**

Notice To Bidders:

This Addendum is issued to incorporate the following additions, deletions, corrections, and/or clarifications to the terms or specifications and shall hereby be considered a part of the final contract documents. This Addendum shall supersede, modify and/or change all statements to the contrary in the bid proposal and shall take precedence over previous terms or specifications.

CHANGE: .

In Scope of work:

- Existing West Glazed Block Wall to be furred out with 3 5/8" MTL studs 16" OC 5/8" Gyp board taped and finished smooth.
- Frame walls with 3 5/8" drywall to 9'-6", finished smooth-Phase 1
- Frame walls with 3 5/8" MTL studs 16" OC 5/8" gyp board finished smooth
- Coordinate with DOT electricians for rough in of electrical conduit
- Coordinate with DOT for doors installation
- see Addendum 1 Phase 1 plan for full details on scope of work
- See Addendum 1 Phase 2 plan for full details on scope of work

All Bidders must sign and return this Addendum for the bid opportunity referenced above. Failure to do so may subject the Bidder to disqualification. If a bid response has already been submitted, this Addendum shall be signed and emailed or faxed to the Purchasing Section prior to the scheduled Letting Date.

Company Name (*please print*)

Date

Signature

Sincerely,
Laura Linduski, Purchasing
Phone No. 515-239-1429 Fax No. 515-239-1538
Laura.linduski@dot.iowa.gov